INDEX TO AUTHORS

A

Aitken, Harry A. A simple continuous dialyzer, 161

Anderson, R. J. See CHARGAFF, PANGBORN, and ANDERSON, 45

—. See ROBERTS and ANDERSON, 33

Arthur, Barbara. See WRIGHT and ARTHUR, 757

B

Bauer, Walter. See MERRITT and BAUER, 215, 233

Benjamin, H. R. See HESS, WEINSTOCK, BENJAMIN, and GROSS, 737

Bill, Arthur H. See MUNTWYLER, LIMBACH, BILL, and MYERS, 607

Bills, Charles E., Honeywell, Edna M., Wirick, Alice M., and Nussmeier, Mildred. A critique of the line test for vitamin D, 619

Bischoff, Fritz, Long, M. Louisa, and Hill, Elsie. Studies in hyperthermia. II. The acid-base equilibrium in hyperthermia induced by short radio waves, 321

—, **Maxwell, L. C., and Hill, Elsie.** Studies in hyperthermia. III. The phosphorus equilibrium, 331

Boyden, Ruth E. See MORGAN, 771

Brown, J. B. The nature of the highly unsaturated fatty acids stored in the lard from pigs fed on menhaden oil, 133

C

Callison, William E. The alleged presence of "bound potassium" in muscle, 665

Carey, Benjamin W., Jr. See TRIMBLE and CAREY, 655

Chambers, William H. See HIMWICH, CHAMBERS, KOSKOFF, and NAHUM, 417

Chargaff, Erwin, Pangborn, Mary C., and Anderson, R. J. The chemistry of the lipoids of tubercle bacilli. XXIII. Separation of the lipoid fractions from the timothy bacillus, 45

Chibnall, Albert Charles, and Miller, E. J. Some observations on the distribution of nitrogen in plant extracts that contain a high proportion of nitrate nitrogen, 189

Coghill, Robert D. The nucleic acid of the timothy bacillus, 57

—. See DAFT and COGHILL, 341

D

Daft, Floyd Shelton, and **Coghill, Robert D.** The alkaline decomposition of serine, 341

Dill, D. B., and **Edwards, H. T.** Physicochemical properties of crocodile blood (*Crocodilus acutus*, Cuvier), 515

—. See HENDERSON, DILL, EDWARDS, and MORGAN, 697

Drabkin, David L., and **Miller, H. K.** Hemoglobin production. II. The relief of anemia, due to milk diet, by feeding amino acids, 531

E

Edwards, H. T. See DILL and EDWARDS, 515

—. See HENDERSON, DILL, EDWARDS, and MORGAN, 697

Elvehjem, C. A. The rôle of iron and copper in the growth and metabolism of yeast, 111

F

Fred, E. B. See PRUESS, PETERSON, STEENBOCK, and FRED, 369

G

Gortner, Ross Aiken. See ZELENY and GORTNER, 427

Gross, J. See HESS, WEINSTOCK, BENJAMIN, and GROSS, 737

H

Harkins, Henry N., and **Hastings, A. Baird.** A study of electrolyte equilibrium in the blood in experimental acidosis, 565

Hastings, A. Baird. See HARKINS and HASTINGS, 565

—. See ROSEBERRY, HASTINGS, and MORSE, 395

Heller, Victor G. See ST. JULIAN and HELLER, 99

Henderson, L. J., Dill, D. B., Edwards, H. T., and **Morgan, William O. P.** Blood as a physicochemical system. X. The physicochemical properties of oxygenated human blood, 697

Hess, Alfred F., Weinstock, Mildred, Benjamin, H. R., and **Gross, J.** The induction of tetany in rachitic rats by means of a normal diet, 737

Hill, Elsie. See BISCHOFF, LONG, and HILL, 321

—. See BISCHOFF, MAXWELL, and HILL, 331

Himwich, Harold E., Chambers, William H., Koskoff, Y. D., and **Nahum, L. H.** Studies in carbohydrate metabolism. II. Glucose-lactic acid cycle in diabetes, 417

Honeywell, Edna M. See BILLS, HONEYWELL, WIRICK, and NUSSMEIER, 619

Hunscher, Helen A. See McCOSH, MACY, and HUNSCHER, 1

Hunt, Charles H., and **Wilder, Willard.** Further evidence of the complex nature of vitamin B. II. Evidence that a third factor exists, 279

K

Kelly, Eunice. See PARSONS, 351

Kennedy, Cornelia. See PALMER and KENNEDY, 545
Kertesz, Zoltan I. Method for the estimation of enzyme yield in fungus cultures, 15
Kiech, Veon Carter, Luck, James Murray, and **Smith, Anna Evelyn.** Studies on arginine. I. The rate of catabolism of arginine in rats, including a method for the determination of arginine in biological material, 677
King, Florance B. See MORGAN, 771
Klabunde, Harriette King. Note on the preparation of hydroxyproline, 293
Koskoff, Y. D. See HIMWICH, CHAMBERS, KOSKOFF, and NAHUM, 417
Krauss, W. E. The ineffectiveness of manganese in nutritional anemia, 267

L

Lavine, Theodore F. See TOENNIES and LAVINE, 203
Levene, P. A., and **Marker, R. E.** The configurations of the secondary carbinols of the isopropyl and of the isobutyl series, 669
— and **Raymond, Albert L.** Note on the preparation of bromoacetyl sugars and of acetoglucals, 247
— and **Tipson, R. Stuart.** Acetyl monoses. VI. The ring structure of the mannose pentacetates, 89
— and **Walti, A.** Configurational relationships of phenylated carbinols. III, 81
Limbach, Natalie. See MUNTWYLER, LIMBACH, BILL, and MYERS, 607
Long, M. Louisa. See BISCHOFF, LONG, and HILL, 321
Luck, James Murray. See KIECH, LUCK, and SMITH, 677

M

Macy, Icie G. See McCOSH, MACY, and HUNSCHER, 1
Marcus, Joseph Keats. The destructive action of finely divided solids on vitamin A, 507
Marker, R. E. See LEVENE and MARKER, 669
Mason, Harold L. A study of glutathione. V. The spontaneous cleavage of glutathione in aqueous solution, 25
—. A study of glutathione. VI. The preparation of oxidized glutathione, 409
Mattill, H. A. Antioxidants and the autoxidation of fats, 141
Maxwell, L. C. See BISCHOFF, MAXWELL, and HILL, 331
McCay, C. M. Phosphorus distribution, sugar, and hemoglobin in the blood of fish, eels, and turtles, 497
McClure, F. J., and **Mitchell, H. H.** The effect of fluorine on the calcium metabolism of albino rats and the composition of the bones, 297
McCluskey, K. Lucille. The fading of tropeolin OO in the titration of organic acids in urine, 197

McCosh, Sylvia Schimmel, Macy, Icie G., and Hunscher, Helen A. Human milk studies. VI. Vitamin potency as influenced by supplementing the maternal diet with yeast, 1

Merritt, H. Houston, and Bauer, Walter. The equilibrium between cerebrospinal fluid and blood plasma. III. The distribution of calcium and phosphorus between cerebrospinal fluid and blood serum, 215

— and —. The equilibrium between cerebrospinal fluid and blood plasma. IV. The calcium content of serum, cerebrospinal fluid, and aqueous humor at different levels of parathyroid activity, 233

Miller, E. J. See CHIBNALL and MILLER, 189

Miller, H. K. See DRABKIN and MILLER, 531

Mitchell, H. H. See MCCLURE and MITCHELL, 297

Miyamoto, Sadaichi, and Schmidt, Carl L. A. The apparent dissociation constants of phenylalanine and of dihydroxyphenylalanine and the apparent free energy and entropy changes of certain amino acids due to ionization, 165

Morgan, Agnes Fay. The effect of heat upon the biological value of cereal proteins and casein, 771

Morgan, William O. P. See HENDERSON, DILL, EDWARDS, and MORGAN, 697

Morse, J. K. See ROSEBERRY, HASTINGS, and MORSE, 395

Muntwyler, Edward, Limbach, Natalie, Bill, Arthur H., and Myers, Victor C. The acid-base equilibrium of the blood in pathological conditions. I. Changes observed in the toxemias of pregnancy, 607

Myers, Victor C. See MUNTWYLER, LIMBACH, BILL, and MYERS, 607

N

Nahum, L. H. See HIMWICH, CHAMBERS, KOSKOFF, and NAHUM, 417

Nussmeier, Mildred. See BILLS, HONEYWELL, WIRICK, and NUSSMEIER, 619

P

Palmer, Leroy S., and Kennedy, Cornelia. The fundamental food requirements for the growth of the rat. VI. The influence of the food consumption and the efficiency quotient of the animal, 545

Pangborn, Mary C. See CHARGAFF, PANGBORN, and ANDERSON, 45

Parsons, Helen T. The physiological effects of diets rich in egg white, 351

Peterson, W. H. See PRUESS, PETERSON, STEENBOCK, and FRED, 369

—. See SKINNER, PETERSON, and STEENBOCK, 65

Petro, V. Ann. See MORGAN, 771

Pruess, L. M., Peterson, W. H., Steenbock, H., and Fred E. B. Sterol content and antirachitic activitability of mold mycelia, 369

Pucher, George W. See VICKERY and PUCHER, 179, 637

R

Raymond, Albert L. See LEVENE and RAYMOND, 247

Roberts, E. Gilman, and Anderson, R. J. The chemistry of the lipoids of tubercle bacilli. XXII. Concerning the carbohydrates of the purified wax, 33

Roseberry, H. H., Hastings, A. Baird, and Morse, J. K. x-Ray analysis of bone and teeth, 395

S

St. Julian, R. Reder, and Heller, Victor G. The effects of vitamin deficiency upon the coefficients of digestibility of protein, fat, and carbohydrate, 99

Sanders, George P. The determination of the calcium, magnesium, and acid-soluble phosphorus of milk by means of trichloroacetic acid filtrates, 747

Sando, Charles E. Ursolic acid, 477

Schmidt, Carl L. A. See MIYAMOTO and SCHMIDT, 165

Sherman, H. C., and Whitsitt, M. L. A study of the effect of nitrous acid upon components of the vitamin B complex, 153

Skinner, J. T., Peterson, W. H., and Steenbock, H. The manganese metabolism of the rat, 65

Smith, Anna Evelyn. See KIECH, LUCK, and SMITH, 677

Smith, James H. C. Carotene. III. Hydrogenation and optical properties of carotene and its hydrogenated derivatives, 597

Smythe, C. V. The mechanism of iron catalysis in certain oxidations, 251

Somogyi, Michael. Note on the distribution of blood sugar, 731

—. The use of copper and iron salts for the deproteinization of blood, 725

Steenbock, H. See PRUESS, PETERSON, STEENBOCK, and FRED, 369

—. See SKINNER, PETERSON, and STEENBOCK, 65

Szent-Györgyi, Albert. On the function of hexuronic acid in the respiration of the cabbage leaf, 385

T

Tipson, R. Stuart. See LEVENE and TIPSON, 89

Toennies, Gerrit, and Lavine, Theodore F. Preparation and properties of crystallized alkali salts of *l*-cystine, 203

Trimble, Harry C., and Carey, Benjamin W., Jr. On the true sugar content of skin and of muscle in diabetic and non-diabetic persons, 655

V

Vickery, Hubert Bradford, and **Pucher, George W.** The non-volatile organic acids of green tobacco leaves, 637

— and —. A source of error in the determination of amide nitrogen in plant extracts, 179

W

Walti, A. See LEVENE and WALTI, 81

Weinstock, Mildred. See HESS, WEINSTOCK, BENJAMIN, and GROSS, 737

Whitsitt, M. L. See SHERMAN and WHITSITT, 153

Wilder, Willard. See HUNT and WILDER, 279

Wirick, Alice M. See BILLS, HONEYWELL, WIRICK, and NUSSMEIER, 619

Wright, G. Payling, and **Arthur, Barbara.** On the oxidation by potassium ferricyanide of certain constituents of the serum in anemia, 757

Wyman, Jeffries, Jr. Studies on the dielectric constant of protein solutions. I. Zein, 443

Z

Zeleny, Lawrence, and **Gortner, Ross Aiken.** The action of formaldehyde on amino acids with special reference to the formation of amines, 427

INDEX TO SUBJECTS

A

Acetoglucals:
Preparation (LEVENE and RAYMOND) 247

Acetyl monoses:
VI (LEVENE and TIPSON) 89

Acid-base:
Equilibrium, blood, disease. I. (MUNTWYLER, LIMBACH, BILL, and MYERS) 607
—, —, pregnancy toxemias (MUNTWYLER, LIMBACH, BILL, and MYERS) 607
—, hyperthermia by short radio waves (BISCHOFF, LONG, and HILL) 321

Acidosis:
Electrolyte equilibrium, blood (HARKINS and HASTINGS) 565

Amide nitrogen:
Determination, plant extracts, error (VICKERY and PUCHER) 179
Plant extracts, determination, error (VICKERY and PUCHER) 179

Amines:
Formation, amino acids, formaldehyde action (ZELENY and GORTNER) 427

Amino acids:
Amine formation, formaldehyde action (ZELENY and GORTNER) 427
Anemia, milk-produced, effect (DRABKIN and MILLER) 531
Energy, free, apparent, changes, ionization effect (MIYAMOTO and SCHMIDT) 165
Entropy changes, ionization effect (MIYAMOTO and SCHMIDT) 165

Anemia:
Blood serum, potassium ferricyanide oxidation effect (WRIGHT and ARTHUR) 757
Milk-produced, amino acid effect (DRABKIN and MILLER) 531
Nutritional, manganese (KRAUSS) 267

Antioxidants:
(MATTILL) 141

Apparatus:
Dialyzer, continuous (AITKEN) 161

Aqueous humor:
Calcium, parathyroid activity effect (MERRITT and BAUER) 233

Arginine:
I (KIECH, LUCK, and SMITH) 677

Arginine—*continued:*
Biological material, determination (KIECH, LUCK, and SMITH) 677
Catabolism, rate (KIECH, LUCK, and SMITH) 677
Determination, biological material (KIECH, LUCK, and SMITH) 677
Autoxidation:
Fats (MATTILL) 141

B

Bacillus:
Timothy, lipoid fractions, separation (CHARGAFF, PANGBORN, and ANDERSON) 45
—, nucleic acid (COGHILL) 57
Tubercle. *See* Tubercle bacillus.
Biological material:
Arginine determination (KIECH, LUCK, and SMITH) 677
Biological value:
Casein, heat effect (MORGAN) 771
Cereal proteins, heat effect (MORGAN) 771
Blood:
Acid-base equilibrium, disease. I (MUNTWYLER, LIMBACH, BILL, and MYERS) 607
— —, pregnancy toxemias (MUNTWYLER, LIMBACH, BILL, and MYERS) 607
Crocodile, physicochemical properties (DILL and EDWARDS) 515
Blood—*continued:*
Deproteinization, copper salts for (SOMOGYI) 725
—, iron salts for (SOMOGYI) 725
Electrolyte equilibrium, acidosis (HARKINS and HASTINGS) 565
Hemoglobin, fish, eels, and turtles (MCCAY) 497
Oxygenated, physicochemical properties (HENDERSON, DILL, EDWARDS, and MORGAN) 697
Phosphorus, fish, eels, and turtles, distribution (MCCAY) 497
Physicochemical system. X (HENDERSON, DILL, EDWARDS, and MORGAN) 697
Sugar, distribution (SOMOGYI) 731
—, fish, eels, and turtles (MCCAY) 497
Blood plasma:
Cerebrospinal fluid and, equilibrium between. III (MERRITT and BAUER) 215
— — —, — between. IV (MERRITT and BAUER) 233
Blood serum:
Anemia, potassium ferricyanide oxidation effect (WRIGHT and ARTHUR) 757
Calcium distribution, cerebrospinal fluid and (MERRITT and BAUER) 215

Blood serum—*continued:*
Calcium, parathyroid activity effect (MERRITT and BAUER) 233
Phosphorus distribution, cerebrospinal fluid and (MERRITT and BAUER) 215
Bone:
Fluorine effect (McCLURE and MITCHELL) 297
Roentgen ray analysis (ROSEBERRY, HASTINGS, and MORSE) 395
Bromoacetyl sugars:
Preparation (LEVENE and RAYMOND) 247

C

Cabbage:
Leaf, respiration, hexuronic acid function (SZENT-GYÖRGYI) 385
Calcium:
Aqueous humor, parathyroid activity effect (MERRITT and BAUER) 233
Blood serum, parathyroid activity effect (MERRITT and BAUER) 233
Cerebrospinal fluid and blood serum, distribution between (MERRITT and BAUER) 215
— —, parathyroid activity effect (MERRITT and BAUER) 233
Determination, milk (SANDERS) 747
Metabolism, fluorine effect (McCLURE and MITCHELL) 297
Calcium—*continued:*
Milk, determination (SANDERS) 747
Carbinols:
Phenylated, configurational relationships. III (LEVENE and WALTI) 81
Secondary, isopropyl and isobutyl series, configurations (LEVENE and MARKER) 669
Carbohydrate(s):
Digestibility coefficients, vitamin deficiency effect (ST. JULIAN and HELLER) 99
Metabolism. II (HIMWICH, CHAMBERS, KOSKOFF, and NAHUM) 417
Tubercle bacillus wax (ROBERTS and ANDERSON) 33
Carotene:
III (SMITH) 597
Hydrogenated derivatives, optical properties (SMITH) 597
Hydrogenation (SMITH) 597
Optical properties (SMITH) 597
Casein:
Biological value, heat effect (MORGAN) 771
Catabolism:
Arginine, rate (KIECH, LUCK, and SMITH) 677
Catalysis:
Iron, mechanism in oxidations (SMYTHE) 251

Cereal:
Proteins, biological value, heat effect (MORGAN) 771

Cerebrospinal fluid:
Blood plasma and, equilibrium between. III (MERRITT and BAUER) 215
— — —, — between. IV (MERRITT and BAUER) 233
Calcium distribution, blood serum and (MERRITT and BAUER) 215
—, parathyroid activity effect (MERRITT and BAUER) 233
Phosphorus distribution, blood serum and (MERRITT and BAUER) 215

Chemical constitution:
Carbinols, secondary, isopropyl and isobutyl series, configurations (LEVENE and MARKER) 669
Mannose pentacetates, ring structure (LEVENE and TIPSON) 89
Phenylated carbinols, configurational relationships. III (LEVENE and WALTI) 81

Copper:
Yeast growth, rôle (ELVEHJEM) 111
— metabolism, rôle (ELVEHJEM) 111

Copper salts:
Blood deproteinization (SOMOGYI) 725

Crocodile:
Blood, physicochemical properties (DILL and EDWARDS) 515

Crocodilus acutus:
See Crocodile.

***l*-Cystine:**
Alkali salts, crystallized, preparation and properties (TOENNIES and LAVINE) 203

D

Diabetes:
Glucose-lactic acid cycle (HIMWICH, CHAMBERS, KOSKOFF, and NAHUM) 417
Muscle sugar, true (TRIMBLE and CAREY) 655
Skin sugar, true (TRIMBLE and CAREY) 655
Sugar, true, skin and muscle (TRIMBLE and CAREY) 655

Dialyzer:
Continuous (AITKEN) 161

Dielectric constant:
Protein solutions. I (WYMAN) 443
Zein (WYMAN) 443

Diet:
Egg white-rich, effects (PARSONS) 351
Milk, anemia from, amino acids effect (DRABKIN and MILLER) 531
Normal, tetany induction, rachitic rats (HESS, WEINSTOCK, and GROSS) 737
Yeast supplement, vitamin potency, milk, human, influence (McCOSH, MACY, and HUNSCHER) 1

Digestibility coefficient:
Carbohydrate, vitamin deficiency effect (St. Julian and Heller) 99
Fat, vitamin deficiency effect (St. Julian and Heller) 99
Protein, vitamin deficiency effect (St. Julian and Heller) 99
Dihydroxyphenylalanine:
Dissociation constants, apparent (Miyamoto and Schmidt) 165
Dissociation constants:
Apparent, dihydroxyphenylalanine (Miyamoto and Schmidt) 165
—, phenylalanine (Miyamoto and Schmidt) 165

E

Eel:
Blood sugar (McCay) 497
Hemoglobin (McCay) 497
Phosphorus, blood, distribution (McCay) 497
Efficiency quotient:
Food, growth influence (Palmer and Kennedy) 545
Egg:
White-rich diet, effect (Parsons) 351
Electrolyte:
Equilibrium, blood, acidosis (Harkins and Hastings) 565
Energy:
Free, apparent, amino acids, ionization effect (Miyamoto and Schmidt) 165
Entropy:
Amino acids, ionization effect (Miyamoto and Schmidt) 165
Enzyme:
Determination, fungus cultures (Kertesz) 15
Fungus cultures, determination (Kertesz) 15
Equilibrium:
Acid-base, blood, disease. I (Muntwyler, Limbach, Bill, and Myers) 607
—, —, pregnancy toxemias (Muntwyler, Limbach, Bill, and Myers) 607
—, hyperthermia by short radio waves (Bischoff, Long, and Hill) 321
Cerebrospinal fluid and blood plasma. III (Merritt and Bauer) 215
— — — — plasma. IV (Merritt and Bauer) 233
Electrolyte, blood, acidosis (Harkins and Hastings) 565
Phosphorus, hyperthermia (Bischoff, Maxwell, and Hill) 331

F

Fat(s):
Autoxidation (Mattill) 141

Fat(s)—*continued:*
Digestibility coefficients, vitamin deficiency effect (St. Julian and Heller) 99

Fatty acids:
Unsaturated, highly, lard, menhaden oil-fed pigs (Brown) 133

Fish:
Blood sugar (McCay) 497
Hemoglobin (McCay) 497
Phosphorus, blood, distribution (McCay) 497

Fluorine:
Bones, effect (McClure and Mitchell) 297
Calcium metabolism, effect (McClure and Mitchell) 297

Food:
Consumption, growth influence (Palmer and Kennedy) 545
Efficiency quotient, growth influence (Palmer and Kennedy) 545
Growth requirements. VI (Palmer and Kennedy) 545

Formaldehyde:
Amine formation, amino acids (Zeleny and Gortner) 427

Fungus:
Cultures, enzyme, determination (Kertesz) 15

G

Glucals:
Aceto-, preparation (Levene and Raymond) 247

Glucose:
-Lactic acid cycle, diabetes (Himwich, Chambers, Koskoff, and Nahum) 417

Glutathione:
V (Mason) 25
VI (Mason) 409
Cleavage, aqueous solution (Mason) 25
Oxidized, preparation (Mason) 409

Growth:
Food consumption, influence (Palmer and Kennedy) 545
—, efficiency quotient, influence (Palmer and Kennedy) 545
— requirements. VI (Palmer and Kennedy) 545

H

Heat:
Casein, biological value. effect (Morgan) 771
Proteins, cereal, biological value, effect (Morgan) 771

Hemoglobin:
Fish, eels, and turtles (McCay) 497
Production. II (Drabkin and Miller) 531

Hexuronic acid:
Respiration, cabbage leaf, function (SZENT-GYÖRGYI) 385

Hydroxyproline:
Preparation (KLABUNDE) 293

Hyperthermia:
II (BISCHOFF, LONG, and HILL) 321
III (BISCHOFF, MAXWELL, and HILL) 331
Acid-base equilibrium, induced by short radio waves (BISCHOFF, LONG, and HILL) 321
Phosphorus equilibrium (BISCHOFF, MAXWELL, and HILL) 331

I

Ionization:
Amino acids, entropy, effect (MIYAMOTO and SCHMIDT) 165
— —, free energy, apparent, effect (MIYAMOTO and SCHMIDT) 165

Iron:
Catalysis, mechanism in oxidations (SMYTHE) 251
Yeast growth, rôle (ELVEHJEM) 111
— metabolism, rôle (ELVEHJEM) 111

Iron salts:
Blood deproteinization (SOMOGYI) 725

Isobutyl carbinols:
Secondary, configurations (LEVENE and MARKER) 669

Isopropyl carbinols:
Secondary, configurations (LEVENE and MARKER) 669

L

Lactic acid:
Glucose-, cycle, diabetes (HIMWICH, CHAMBERS, KOSKOFF, and NAHUM) 417

Lard:
Fatty acids, unsaturated, highly, menhaden oil-fed pigs (BROWN) 133

Line test:
Vitamin D, critique (BILLS, HONEYWELL, WIRICK, and NUSSMEIER) 619

Lipoid(s):
Timothy bacillus, separation (CHARGAFF, PANGBORN, and ANDERSON) 45
Tubercle bacillus, carbohydrates of purified wax (ROBERTS and ANDERSON) 33
— —, chemistry. XXII (ROBERTS and ANDERSON) 33
— —, —. XXIII (CHARGAFF, PANGBORN, and ANDERSON) 45

M

Magnesium:
Determination, milk (SANDERS) 747
Milk, determination (SANDERS) 747

Manganese:
Anemia, nutritional (KRAUSS) 267
Metabolism, rat (SKINNER, PETERSON, and STEENBOCK) 65
Mannose pentacetates:
Ring structure (LEVENE and TIPSON) 89
Menhaden oil:
-Fed pigs, lard, fatty acids, unsaturated, highly (BROWN) 133
Metabolism:
Calcium, fluorine effect (MCCLURE and MITCHELL) 297
Carbohydrate. II (HIMWICH, CHAMBERS, KOSKOFF, and NAHUM) 417
Manganese, rat (SKINNER, PETERSON, and STEENBOCK) 65
Yeast, copper rôle (ELVEHJEM) 111
—, iron rôle (ELVEHJEM) 111
Milk:
Anemia from, amino acid effect (DRABKIN and MILLER) 531
Calcium determination (SANDERS) 747
Human. VI (MCCOSH, MACY, and HUNSCHER) 1
—, vitamin potency, yeast supplement influence (MCCOSH, MACY, and HUNSCHER) 1
Magnesium determination (SANDERS) 747
Milk—*continued:*
Phosphorus, acid-soluble, determination (SANDERS) 747
Mold:
Mycelia, antirachitic activatibility (PRUESS, PETERSON, STEENBOCK, and FRED) 369
—, sterol (PRUESS, PETERSON, STEENBOCK, and FRED) 369
Monoses:
Acetyl. VI (LEVENE and TIPSON) 89
Muscle:
Potassium, bound (CALLISON) 665
Sugar, true (TRIMBLE and CAREY) 655
—, —, diabetes (TRIMBLE and CAREY) 655
Mycelia:
Mold, antirachitic activatibility (PRUESS, PETERSON, STEENBOCK, and FRED) 369
—, sterol (PRUESS, PETERSON, STEENBOCK, and FRED) 369

N

Nitrate:
Nitrogen, plant extracts high in, nitrogen distribution (CHIBNALL and MILLER) 189
Nitrogen:
Nitrate, plant extracts high in, nitrogen distribution (CHIBNALL and MILLER) 189

Nitrogen—*continued:*
Plant extracts, high nitrate nitrogen, distribution (CHIBNALL and MILLER) 189
Nitrous acid:
Vitamin B complex, effect (SHERMAN and WHITSITT) 153
Nucleic acid:
Timothy bacillus (COGHILL) 57

O

Oil:
Menhaden. *See* Menhaden oil.
Optical properties:
Carotene (SMITH) 597
—, hydrogenated derivatives (SMITH) 597
Organic acids:
Non-volatile, tobacco leaves, green (VICKERY and PUCHER) 637
Urine, titration, tropeolin OO fading (McCLUSKEY) 197
Oxidation:
Iron catalysis in, mechanism (SMYTHE) 251

P

Parathyroid:
Calcium, aqueous humor, activity effect (MERRITT and BAUER) 233
—, blood serum, activity effect (MERRITT and BAUER) 233
—, cerebrospinal fluid, activity effect (MERRITT and BAUER) 233
Phenylalanine:
Dihydroxy-, dissociation constants, apparent (MIYAMOTO and SCHMIDT) 165
Dissociation constants, apparent (MIYAMOTO and SCHMIDT) 165
Phosphorus:
Acid-soluble, determination, milk (SANDERS) 747
Blood, fish, eels, and turtles, distribution (McCAY) 497
Cerebrospinal fluid and blood serum, distribution between (MERRITT and BAUER) 215
Equilibrium, hyperthermia (BISCHOFF, MAXWELL, and HILL) 331
Plant:
Extracts, amide nitrogen determination, error (VICKERY and PUCHER) 179
—, high nitrate nitrogen, nitrogen distribution (CHIBNALL and MILLER) 189
Potassium:
Bound, muscle (CALLISON) 665
Potassium ferricyanide:
Blood serum, oxidation, anemia, effect (WRIGHT and ARTHUR) 757
Pregnancy:
Toxemias, acid-base equilibrium, blood (MUNTWYLER, LIMBACH, BILL, and MYERS) 607

Protein(s):
Cereal, biological value, heat effect (MORGAN) 771
Digestibility coefficients, vitamin deficiency effect (ST. JULIAN and HELLER) 90
Solutions, dielectric constant. I (WYMAN) 443

R

Radio waves:
Hyperthermia, acid-base equilibrium (BISCHOFF, LONG, and HILL) 321
x-Ray:
See Roentgen ray.
Respiration:
Cabbage leaf, hexuronic acid function (SZENT-GYÖRGYI) 385
Rickets:
Antirachitic activatibility, mold mycelia (PRUESS, PETERSON, STEENBOCK, and FRED) 369
Tetany induction, normal diet (HESS, WEINSTOCK, and GROSS) 737
Roentgen ray:
Bone analysis (ROSEBERRY, HASTINGS, and MORSE) 395
Tooth analysis (ROSEBERRY, HASTINGS, and MORSE) 395

S

Serine:
Alkaline decomposition (DAFT and COGHILL) 341
Skin:
Sugar, true (TRIMBLE and CAREY) 655
—, —, diabetes (TRIMBLE and CAREY) 655
Sterol:
Mold mycelia (PRUESS, PETERSON, STEENBOCK, and FRED) 369
Sugar(s):
Blood, distribution (SOMOGYI) 731
—, fish, eels, and turtles (MCCAY) 497
Bromoacetyl, preparation (LEVENE and RAYMOND) 247
True, skin and muscle (TRIMBLE and CAREY) 655
—, — — —, diabetes (TRIMBLE and CAREY) 655

T

Tetany:
Rachitic rats, normal diet (HESS, WEINSTOCK, and GROSS) 737
Timothy:
Bacillus, lipoid fractions, separation (CHARGAFF, PANGBORN, and ANDERSON) 45
—, nucleic acid (COGHILL) 57
Tobacco:
Leaves, green, organic acids, non-volatile (VICKERY and PUCHER) 637
Tooth:
Roentgen ray analysis (ROSEBERRY, HASTINGS, and MORSE) 395

Toxemia:
Pregnancy, acid-base equilibrium, blood (MUNTWYLER, LIMBACH, BILL, and MYERS) 607

Trichloroacetic acid:
Filtrates, milk, calcium, magnesium, and acid-soluble phosphorus determination (SANDERS) 747

Tropeolin OO:
Organic acids, urine, titration, fading (McCLUSKEY) 197

Tubercle bacillus:
Lipoids, chemistry. XXII (ROBERTS and ANDERSON) 33
—, —. XXIII (CHARGAFF, PANGBORN, and ANDERSON) 45
Wax, carbohydrates (ROBERTS and ANDERSON) 33

Turtle:
Blood sugar (McCAY) 497
Hemoglobin (McCAY) 497
Phosphorus, blood, distribution (McCAY) 497

U

Urine:
Organic acids, titration, tropeolin OO fading (McCLUSKEY) 197

Ursolic acid:
(SANDO) 477

V

Vitamin:
A destruction (MARCUS) 507
B complex. II (HUNT and WILDER) 279
— —, nitrous acid effect (SHERMAN and WHITSITT) 153
—, third factor (HUNT and WILDER) 279
D, line test, critique (BILLS, HONEYWELL, WIRICK, and NUSSMEIER) 619
Deficiency, carbohydrate digestibility coefficients, effect (ST. JULIAN and HELLER) 99
—, fat digestibility coefficients, effect (ST. JULIAN and HELLER) 99
—, protein digestibility coefficients, effect (ST. JULIAN and HELLER) 99
Milk, human, yeast supplement influence on potency (McCOSH, MACY, and HUNSCHER) 1

W

Wax:
Tubercle bacillus, carbohydrates of (ROBERTS and ANDERSON) 33

Y

Yeast:
Diet supplement, vitamin potency, milk, human, influence (McCOSH, MACY, and HUNSCHER) 1

Yeast—*continued:*
Growth, copper rôle (ELVEHJEM) 111
—, iron rôle (ELVEHJEM) 111
Metabolism, copper rôle (ELVEHJEM) 111
Yeast—*continued:*
Metabolism, iron rôle (ELVEHJEM) 111

Z

Zein:
Dielectric constant (WYMAN) 443